

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-08-04	10:49:17
TABLE NAME	T_PUSH_FAIL				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SEQNO	NUMBER	PK	NOT NULL		
2	PSID	VARCHAR2(255)	PK	NOT NULL		
3	CUID	VARCHAR2(50)				
4	APPID	VARCHAR2(50)				
5	PNSID	VARCHAR2(10)				
6	RETRYCNT	NUMBER			'0'	
7	RESULTCODE	VARCHAR2(10)				
8	RESULTMSG	VARCHAR2(4000)				
9	REGDATE	DATE				
10	MODEDATE	DATE				
11	ISSMSSENT	CHAR(1)			'N'	
12	CSV_VARS	VARCHAR2(2000)				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-08-04	11:20:14
TABLE NAME	T_PUSH_MSG_RECV_MASTER				
COMMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SEQNO	NUMBER	PK	NOT NULL		
2	RESERVE_SEQNO	NUMBER			'0'	
3	SOUNDFILE	VARCHAR2(20)			NULL	
4	BADGENO	NUMBER			NULL	
5	MESSAGE	VARCHAR2(4000)			NULL	
6	SUB_TITLE	VARCHAR2(4000)			NULL	
7	EXT	VARCHAR2(4000)			NULL	
8	RESERVEDATE	DATE			NULL	
9	PRIORITY	NUMBER			NULL	
10	SENDERID	VARCHAR2(50)			NULL	
11	REGDATE	DATE			NULL	
12	APPID	VARCHAR2(255)			NULL	
13	SERVICECODE	VARCHAR2(20)			NULL	
14	TYPE	CHAR(1)			'E'	
15	TOTAL_SEND_CNT	NUMBER			'0'	
16	SEND_CNT	NUMBER			'0'	
17	FAIL_CNT	NUMBER			'0'	
18	REV_CNT	NUMBER			'0'	
19	READ_CNT	NUMBER			'0'	
20	UPNS_CNT	NUMBER			'0'	
21	APNS_CNT	NUMBER			'0'	
22	AOM_CNT	NUMBER			'0'	
23	GCM_CNT	NUMBER			'0'	
24	DB_IN	CHAR(1)			'N'	
25	ORIGINAL_SEQNO	NUMBER			'0'	
26	GROUPSEQ	VARCHAR2(50)				
27	START_TIMESTAMP	NUMBER			'0'	
28	END_TIMESTAMP	NUMBER			'0'	

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:29:01
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:29:01
TABLE NAME	T_PUSH_PAUSE_UPNS_HISTORY				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SEQNO	NUMBER	PK	NOT NULL		
2	SOURCE_UPNSID	VARCHAR2(50)				
3	TARGET_UPNSIDS	VARCHAR2(255)				
4	MOVE_ALLOCATECNTS	VARCHAR2(255)				
5	MOVED_COUNT	VARCHAR2(10)				
6	MOVED_ALLOCATE_INFO	VARCHAR2(255)				
7	START_USERSEQNO	VARCHAR2(30)				
8	END_USERSEQNO	VARCHAR2(30)				
9	REGDATE	DATE				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:31:16
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:31:16
TABLE NAME	T_PUSH_PITCHER_COMPLETED_MSG				
COMMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	PITCHER_SEQNO	NUMBER	PK	NOT NULL		
2	APP_ID	VARCHAR2(255)				
3	MESSAGE	VARCHAR2(4000)				
4	SOUNDFILE	VARCHAR2(20)				
5	BADGENO	NUMBER				
6	PRIORITY	NUMBER				
7	EXT	VARCHAR2(255)				
8	SENDERCODE	VARCHAR2(50)				
9	SERVICECODE	VARCHAR2(20)				
10	RESERVEDATE	DATE				
11	TYPE	CHAR(1)			'E'	
12	DB_IN	CHAR(1)			"	
13	ATTACHFILE	VARCHAR2(255)				
14	GROUPSEQ	VARCHAR2(50)				
15	CUID	LONG				
16	REGDATE	DATE				
17	PROCESS_FLAG	CHAR(1)			'N'	
18	SPLIT_MSG_CNT	NUMBER			'0'	
19	DELAY_SECOND	NUMBER			'0'	
20	RESERVETYPE	VARCHAR2(2)				
21	SUB_TITLE	VARCHAR2(4000)			NULL	
22	PUSH_FAIL_SMS_SEND	CHAR(1)			'N'	
23	SMS_READ_WAIT_MINUTE	VARCHAR2(5)			'0'	
24	DOZ_GCM_SEND	CHAR(1)			'N'	
25	SEND_TIME_LIMIT	VARCHAR2(20)				
26	RESULT_CODE	VARCHAR2(20)				
27	RESULT_MSG	VARCHAR2(4000)				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:31:15
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:31:15
TABLE NAME	T_PUSH_PITCHER_MSG				
COMMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	PITCHER_SEQNO	NUMBER	PK	NOT NULL		
2	APP_ID	VARCHAR2(255)				
3	MESSAGE	VARCHAR2(4000)				
4	SOUNDFILE	VARCHAR2(20)				
5	BADGENO	NUMBER				
6	PRIORITY	NUMBER				
7	EXT	VARCHAR2(255)				
8	SENDERCODE	VARCHAR2(50)				
9	SERVICECODE	VARCHAR2(20)				
10	RESERVEDATE	DATE				
11	TYPE	CHAR(1)			'E'	
12	DB_IN	CHAR(1)			"	
13	ATTACHFILE	VARCHAR2(255)				
14	GROUPSEQ	VARCHAR2(50)				
15	CUID	LONG				
16	REGDATE	DATE				
17	PROCESS_FLAG	CHAR(1)			'N'	
18	SPLIT_MSG_CNT	NUMBER			'0'	
19	DELAY_SECOND	NUMBER			'0'	
20	RESERVETYPE	VARCHAR2(2)				
21	SUB_TITLE	VARCHAR2(4000)			NULL	
22	PUSH_FAIL_SMS_SEND	CHAR(1)			'N'	
23	SMS_READ_WAIT_MINUTE	VARCHAR2(5)			'0'	
24	DOZ_GCM_SEND	CHAR(1)			'N'	
25	SEND_TIME_LIMIT	VARCHAR2(20)				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:55
TABLE NAME	T_PUSH_RESERVE_MSG				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	RESERVE_SEQNO	NUMBER	PK	NOT NULL		
2	APP_ID	VARCHAR2(255)				
3	MESSAGE	VARCHAR2(4000)				
4	SOUNDFILE	VARCHAR2(20)				
5	BADGENO	NUMBER				
6	PRIORITY	NUMBER				
7	EXT	VARCHAR2(255)				
8	SENDERCODE	VARCHAR2(50)				
9	SERVICECODE	VARCHAR2(20)				
10	RESERVEDATE	DATE				
11	TYPE	CHAR(1)			'E'	
12	DB_IN	CHAR(1)			"	
13	ATTACHFILE	VARCHAR2(255)				
14	GROUPSEQ	VARCHAR2(50)				
15	CUID	LONG				
16	REGDATE	DATE				
17	PROCESS_FLAG	CHAR(1)			'N'	
18	SPLIT_MSG_CNT	NUMBER			'0'	
19	DELAY_SECOND	NUMBER			'0'	
20	RESERVETYPE	VARCHAR2(2)				
21	ISCONDITION	VARCHAR2(2)				
22	SUB_TITLE	VARCHAR2(4000)			NULL	
23	PUSH_FAIL_SMS_SEND	CHAR(1)			'N'	
24	SMS_READ_WAIT_MINUTE	VARCHAR2(5)			'0'	
25	DOZ_GCM_SEND	CHAR(1)			'N'	
26	SEND_TIME_LIMIT	VARCHAR2(20)				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:47
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:58
TABLE NAME	T_PUSH_SENDER_INFO				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SENDERSEQ	NUMBER(8)	PK	NOT NULL		
2	SENDERNAME	VARCHAR2(50)				
3	SENDERCODE	VARCHAR2(50)				
4	ISDELETED	VARCHAR2(1)				
5	SENDERDESC	VARCHAR2(45)				
6	REGID	VARCHAR2(20)				
7	REGDT	DATE				
8	MODID	VARCHAR2(20)				
9	MODDT	DATE				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:52
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:52
TABLE NAME	T_PUSH_SERVER_GROUP				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	GROUPID	VARCHAR2(20)	PK	NOT NULL		
2	GROUPNAME	VARCHAR2(50)				
3	SERVERTYPE	VARCHAR2(10)				: UPNS, UPMC, PROVIDER
4	VIP	VARCHAR2(30)				VIP
5	PORT	VARCHAR2(6)				VIP

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31 5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31 5:28:55
TABLE NAME	T_PUSH_SERVER_INFO			
COMIMENT				

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SERVERID	VARCHAR2(50)	PK	NOT NULL		
2	GROUPID	VARCHAR2(20)				
3	IP	VARCHAR2(20)				
4	PORT	VARCHAR2(6)				
5	INTERNEL_IP	VARCHAR2(20)				
6	SERVERTYPE	VARCHAR2(10)				: UPNS, UPMC, PROVIDER
7	SERVERNAME	VARCHAR2(50)				
8	URL	VARCHAR2(1024)				: URL
9	ISACTIVE	CHAR(1)			'N'	

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:58
TABLE NAME	T_PUSH_SERVER_STATUS				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	STATUS	VARCHAR2(1)				
2	REGDATE	DATE				
3	IPADDRESS	VARCHAR2(15)	PK	NOT NULL		
4	PORT	VARCHAR2(6)	PK	NOT NULL		

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:58
TABLE NAME	T_PUSH_SERVICE				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SERVICENAME	VARCHAR2(100)				
2	SERVICECODE	VARCHAR2(20)		NOT NULL		
3	MAXRETRYCNT	NUMBER(2)				
4	RETRYFLAG	VARCHAR2(1)				
5	RESENDFLAG	VARCHAR2(1)				
6	MAXRESENCNT	NUMBER(2)				
7	PNSID	VARCHAR2(4)				
8	FAILSMSFLAG	VARCHAR2(1)			'N'	

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:55
TABLE NAME	T_PUSH_SMS				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	APPID	VARCHAR2(255)	PK	NOT NULL		
2	CUID	VARCHAR2(50)	PK	NOT NULL		
3	SEQNO	VARCHAR2(50)	PK	NOT NULL		
4	TITLE	VARCHAR2(4000)				
5	SUB_TITLE	VARCHAR2(4000)				
6	PNSID	VARCHAR2(10)				
7	PSID	VARCHAR2(255)				
8	SMS_READ_WAIT_MINUTE	VARCHAR2(5)				
9	PUSH_STATUS	CHAR(1)			'F'	
10	ERRCODE	VARCHAR2(10)			'0000'	
11	REGDATE	DATE				
12	EXPIREDATE	DATE				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31 5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-08-04 10:49:14
TABLE NAME	T_PUSH_SUCCESS			
COMMENT				

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SEQNO	NUMBER(20)	PK	NOT NULL		
2	PSID	VARCHAR2(255)	PK	NOT NULL		
3	APPID	VARCHAR2(50)				
4	PNSID	VARCHAR2(10)				
5	STATUS	NUMBER			'1'	1: , 2: ,3:
6	CUID	VARCHAR2(50)				
7	REGDATE	DATE				
8	REVDATE	DATE				
9	READDATE	DATE				
10	ISSMSENT	CHAR(1)			'N'	
11	CSV_VARS	VARCHAR2(2000)				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:58
TABLE NAME	T_PUSH_SUPERVISOR				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SUPERVISORSEQ	NUMBER(8)	PK	NOT NULL		
2	NAME	VARCHAR2(50)				
3	PHONENO	VARCHAR2(20)				
4	ISDELETED	VARCHAR2(1)				
5	REGDATE	DATE				
6	MODDATE	DATE				
7	TELCOMP	VARCHAR2(4)				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:55
TABLE NAME	T_PUSH_SYSMSG_SENTINFO				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	SENDDATE	CHAR(8)	PK	NOT NULL		
2	SENDERCODE	VARCHAR2(50)	PK	NOT NULL		
3	SENT_CNT	NUMBER			'0'	
4	FAIL_CNT	NUMBER			'0'	
5	READ_CNT	NUMBER			'0'	
6	UPNS_SENT_CNT	NUMBER			'0'	
7	UPNS_FAIL_CNT	NUMBER			'0'	
8	APNS_SENT_CNT	NUMBER			'0'	
9	APNS_FAIL_CNT	NUMBER			'0'	
10	GCM_SENT_CNT	NUMBER			'0'	
11	GCM_FAIL_CNT	NUMBER			'0'	
12	AOM_SENT_CNT	NUMBER			'0'	
13	AOM_FAIL_CNT	NUMBER			'0'	
14	TIME00	NUMBER			'0'	
15	TIME01	NUMBER			'0'	
16	TIME02	NUMBER			'0'	
17	TIME03	NUMBER			'0'	
18	TIME04	NUMBER			'0'	
19	TIME05	NUMBER			'0'	
20	TIME06	NUMBER			'0'	
21	TIME07	NUMBER			'0'	
22	TIME08	NUMBER			'0'	
23	TIME09	NUMBER			'0'	
24	TIME10	NUMBER			'0'	
25	TIME11	NUMBER			'0'	
26	TIME12	NUMBER			'0'	
27	TIME13	NUMBER			'0'	
28	TIME14	NUMBER			'0'	
29	TIME15	NUMBER			'0'	
30	TIME16	NUMBER			'0'	
31	TIME17	NUMBER			'0'	

32	TIME18	NUMBER			'0'	
33	TIME19	NUMBER			'0'	
34	TIME20	NUMBER			'0'	
35	TIME21	NUMBER			'0'	
36	TIME22	NUMBER			'0'	
37	TIME23	NUMBER			'0'	

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:59
TABLE NAME	T_PUSH_TEMPLATE				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	TEMPLATECODE	VARCHAR2(20)	PK	NOT NULL		
2	MESSAGE	VARCHAR2(4000)				
3	REGDATE	DATE				
4	MODDATE	DATE				
5	TEMPLATE_TYPE	VARCHAR2(50)				
6	REGID	VARCHAR2(20)				ID
7	EXT	CLOB				
8	URL	CLOB				URL

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:58
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:58
TABLE NAME	T_PUSH_USER				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	CUID	VARCHAR2(50)	PK	NOT NULL		
2	CNAME	VARCHAR2(50)				
3	VAL1	VARCHAR2(50)				1
4	VAL2	VARCHAR2(50)				2
5	VAL3	VARCHAR2(50)				3
6	VAL4	VARCHAR2(50)				4
7	VAL5	VARCHAR2(50)				5
8	VAL6	VARCHAR2(50)				6
9	VAL7	VARCHAR2(50)				7
10	VAL8	VARCHAR2(50)				8
11	VAL9	VARCHAR2(50)				9
12	REGDT	DATE				
13	MODDT	DATE				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:59
TABLE NAME	T_PUSH_USER_GROUP				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	CUID	VARCHAR2(50)	PK	NOT NULL		
2	GROUPSEQ	NUMBER(6)	PK	NOT NULL		

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:58
TABLE NAME	T_PUSH_USER_GROUP_INFO				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	GROUPSEQ	NUMBER(6)		NOT NULL		
2	GROUPNAME	VARCHAR2(50)				
3	ISDELETED	VARCHAR2(1)				
4	REGDATE	DATE				
5	MODDATE	DATE				
6	PARENTGROUPSEQ	NUMBER(6)				
7	GROUPDESC	VARCHAR2(100)				
8	REGID	VARCHAR2(20)				ID
9	GROUPTYPE	VARCHAR2(1)			'N'	(N:normal, T:test)

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:55
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:55
TABLE NAME	T_PUSH_USER_INFO				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	USERSEQNO	NUMBER	UNIQUE			
2	PUSHKEY	VARCHAR2(40)	PK	NOT NULL		(+PNSID) sha256 +
3	PSID	VARCHAR2(255)				
4	PNSID	VARCHAR2(4)				
5	DEVICEID	VARCHAR2(50)				
6	CUID	VARCHAR2(50)				
7	CNAME	VARCHAR2(50)				
8	APPID	VARCHAR2(255)				
9	PHONENO	VARCHAR2(20)				
10	OS_VER	VARCHAR2(50)				OS
11	DEVICE_MD	VARCHAR2(100)				
12	APP_VER	VARCHAR2(50)				
13	APNS_MODE	VARCHAR2(10)				APNS : REAL, DEV
14	UPNSID	VARCHAR2(20)				UPNS /
15	ORGUPNSID	VARCHAR2(20)				
16	REGDATE	DATE				
17	MODDATE	DATE				

TABLE INFORMATION	OWNER	PUSH50EE	CREATED	2017-07-31	5:28:56
	TABLESPACE	PUSH	MODIFIED	2017-07-31	5:28:59
TABLE NAME	T_PUSH_VARIABLES				
COMIMENT					

Col #	Column Name	Data Type	Key	Not Null	Default	Comments
1	VGROUP	VARCHAR2(20)	PK	NOT NULL		
2	VNAME	VARCHAR2(40)	PK	NOT NULL		
3	VVALUE	VARCHAR2(256)				